

Smart Interactive Display

MW3575-T-C



Key Features

- Metal housing, 4mm AG anti-glare tempered glass, and ultra-thin and ultra-narrow appearance.
- IR (Infrared Ray) touch technology.
- Wireless screen sharing, convenient to presentation.
- Built-in Android system and optional with Pluggable PC Module.
- Double LAN bridging, supporting Android, Pluggable PC Module (Windows system) and external PC realize network bridging.
- In the standby state, the HDMI channel signal input intelligent wake-up.

Specifications

| | |
|-------------------------------|---------------|
| Model | MW3575-T-C |
| Display | |
| Screen Size | 75 inches |
| Backlight | DLED |
| Pixel Pitch(mm) | 0.4297*0.4297 |
| Resolution | 3840*2160 |
| Brightnes(cd/m ²) | 350 |
| Contrast | 1200:1 |
| Response Time(ms) | 8 |


| | |
|-----------------------|---|
| Color | 10bit |
| Viewing Angle | Horizontal 178°, Vertical 178° |
| View Area(W*H) | 1650.24*928.26 |
| Android System | |
| CPU Architecture | Quad-core Cortex A55, Mali-G31*2 |
| CPU Working Frequency | 1.9GHz |
| CPU Core | Quad Core |
| RAM | 4GB |
| ROM | 32GB |
| OS | Android 9.0 |
| Touch | |
| Sensing Type | Infrared Touch Frame |
| Touch Accuracy | ±2mm |
| Surface Protection | 4mm Toughened Glass |
| Response Time(ms) | ≤10 |
| Theory Clicks | More than 60 million times in the same location |
| Interface | |
| Input Interface | 2*HDMI IN、1*VGA IN、1*AUDIO IN、4*USB 2.0、1* TOUCH USB 2.0、1*OPS |
| Output Interface | 1*AUDIO OUT |
| Control Interface | 1*RS232、1*LAN |
| Speaker | |
| Speaker | 2*10W |
| OSD | |
| Multi- Language | 11(English, Simplified Chinese, Traditional Chinese, Japanese, Korean, Spanish, Portuguese, Vietnamese, Russian, French, Italian) |
| Bluetooth | |
| Version | 4.0 |
| WIFI | |
| Version | 802.11 a/b/g/n/ac |
| VESA | |
| Wall mount hole (mm) | 800*400 |
| Wall mount screw | 4-M8(25mm deep thread) |
| General | |
| Power Supply | AC 180V~240V, 50~60Hz |
| Consumption(W) | ≤440 ≤0.5(Standby) |
| Operation Temperature | 0°C~40°C |
| Operating Humidity | 10%~90% (No Condensation) |
| Storage Temperature | -20~60°C |

| | |
|--------------------------|---|
| Storage Humidity | 10%~90%(No-condensing) |
| Product Size(W*H*D) (mm) | 1709.4*1020.0*86.3 |
| Packing Size(W*H*D)(mm) | 1860*1160*220 |
| Weight(kg) | Net Weight:51.9 Gross Weight:65.7 |
| Accessory | |
| Standard | 1*Touch Pen、1*Wall Mount、1*Power Cable、1*Quick Guide、1*Easy Use Instruction |


Appearance

Dimensions


MW3575-T-C



Wall Mount



Interfaces



Order Information

| Model | Remake |
|---|---------------------------|
| MW3575-T-C | Smart Interactive Display |
| Wireless Screen Sharing Dongle | Optional |
| Mobile Stand | Optional |
| I5 Processor Pluggable PC Module(Win10 System is Not Activated) | Optional |
| I7 Processor Pluggable PC Module(Win10 System is Not Activated) | Optional |
| USB Camera | Optional |

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.